

TOSHIBA

e-STUDIO2515AC
e-STUDIO3015AC
e-STUDIO3515AC
e-STUDIO4515AC
e-STUDIO5015AC

Datasheet

- > Toshiba's A3 colour systems impress with an outstanding document output at a speed of up to 50 pages per minute.
- > Thanks to a large, fully customisable user interface you can enhance your efficiency and have easy access to tailor-made workflows.
- > Designed for modern office environments, the e-STUDIO5015AC series is ready for mobile printing.
- > Integrate additional functions and applications thanks to Toshiba's individual programming.⁴⁾



Every industry has unique workflow needs. Toshiba has developed customisable MFPs to make your job easier. Intuitive and smartly integrated, our products simplify complex tasks and give you control while providing the reliability Toshiba is known for.

It's important that an MFP is powerful, reliable, and efficient. Combine this with brilliant colours and you have even more ways to make your documents impactful.

Advanced Toshiba e-BRIDGE controller technology for high-quality document output in colour and mono-chrome with a resolution of up to 1,200 dpi x 1,200 dpi.

Mobile printing is important and Toshiba's new systems give you full flexibility to do so. All models can easily connect to mobile devices via AirPrint, Google Cloud Print, or the Mopria Print Service .

All e-BRIDGE Next models fulfill the highest security standards to protect your data from unwanted access. So whether you are looking for document security, device security, or access security - our new systems have it all.



SPECIFICATIONS

General

| | |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Print & Copy Speed | A4: 25/30/35/45/50 ppm A3: 15/16/18/22/25 ppm |
| Warm-up Time | ~ 12 seconds from low power mode |
| Paper Size & Weight | Cassette 1: A5R-A3, 60-256 g/m ² Cassette 2: A5R-320 x 460 mm, 60-256 g/m ² Bypass: 100 x 148 mm - 320 x 460 mm, 52-280 g/m ² Banner paper: up to 305 x 1,200 mm, 90-163 g/m ² |
| Paper Capacity | Cassettes: 2x 550 sheets Bypass: 1x 100 sheets max. 3,200 sheets |
| Inner Output Tray | 400-sheet capacity |
| Automatic Duplex | A5R, A4R, A4, A3, special formats ³⁾ , 60-256 g/m ² |
| Controller Type | Toshiba e-BRIDGE Next |
| Control Panel | 26 cm (10.1") Multi-Touch Colour Panel |
| Memory | Toshiba Secure HDD 320 GB ³⁾ , 4 GB RAM |
| Interface | 10Base-T/100Base-TX/1000Base-T, High Speed USB 2.0, WLAN ¹⁾ (IEEE802.11b/g/n), Bluetooth ¹⁾ , WiFi Direct ¹⁾ |
| Dimensions & Weight | 585 x 641 x 787 mm (W x D x H), ~ 78 kg |
| Starter Kit | Toner, drum, developer, waste toner box |

Print

| | |
|----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Resolution | 600 x 600 dpi (5 bit), 1,200 x 1,200 dpi (2 bit), equivalent to 3,600 x 1,200 dpi, with PostScript driver only |
| Page Description Language | PCL5e, PCL5c, PCL6 (PCL XL), XPS and PostScript 3 compatible |
| Supported Systems | Windows 10/8.1/7/Server 2008 (32/64 bit), Windows Server 2016/Server 2012 R2/Server 2012/ Server 2008 R2 (64 bit), Mac OS X 10.6.8-10.13, Linux/Unix, Citrix, Novell SLES, SAP, AS/400 |
| Network Protocols | TCP/IP (IPv4/IPv6), IPX/SPX, EtherTalk, NetBios over TCP/IP |
| Colour Modes | Auto-Colour (ACS), Colour, Twin Colour, Monochrome |
| Colour Settings | ICC profile colour management, RGB substitution, Brightness, Saturation, Contrast, Colour Balance |
| Mobile Printing | e-BRIDGE Print & Capture, AirPrint, Mopria Print Service, Google Cloud Print |
| Print Functions | Universal Printer Driver, Driver Templates, Print from USB, Hold print, Tandem printing, E-Mail direct printing |

Scan

| | |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Resolution | max. 600 x 600 dpi |
| Scan Speed | Reversing Automatic Document Feeder (RADF) ¹⁾ : up to 73 ipm (300 dpi) in Colour and Monochrome Dual Scan Document Feeder (DSDF) ¹⁾ : up to 240 ipm (300 dpi) in Colour and Monochrome |
| Scan Modes | Auto-Colour (ACS), Colour, Greyscale, Monochrome |
| File Formats | JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PDF, PDF/A, Searchable PDF ¹⁾ (and other formats like DOCX, XLSX) ¹⁾ |
| Scan Functions | WS Scan, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, IPX/SPX, Local), Meta Scan ¹⁾ , OCR Scan ¹⁾ , Scan to Box (e-Filing), WIA, TWAIN |

Copy

| | |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| Resolution | Scan: 600 x 600 dpi Print: 600 x 600 dpi (5 bit) equivalent to 2,400 x 600 dpi with smoothing (monochrome only) |
| First Copy Output Time | Colour: ~ 7.8/7.8/7.8/5.7/5.7 seconds Monochrome: ~ 5.9/5.9/5.9/4.4/4.4 seconds |
| Zoom | Platen: 25-400%, RADF/DSDF ¹⁾ : 25-200% |
| Copy Modes | Text, Text/Photo, Photo, Printed Image, Map, Image Smoothing |
| Colour Modes | Auto-Colour (ACS), Full Colour, Twin Colour, Mono Colour, Monochrome |
| Colour Settings | Hue, Saturation, Colour Balance, RGB adjustment 5 one-touch modes |
| Copy Functions | Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1 / 4-in-1 mode |

Fax¹⁾

| | |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| Communication | Super G3, G3 - (opt. 2 nd line), Internet Fax T.37 |
| Transmission Speed | ~ 3 seconds per page |
| Compression | JBIG, MMR, MR, MH |
| Fax Memory | 1 GB Transmission/Reception |
| Network-Fax | Driver for Windows 10/8.1/7/Server 2008 (32/64 bit), Windows Server 2016/Server 2012 R2/Server 2012/ Server 2008 R2 (64 bit) |
| Incoming Fax Routing | To shared folders (SMB, FTP, IPX/SPX), E-Mail, e-Filing |

System & Security

| | |
|----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Device Management | e-BRIDGE Fleet Management System ¹⁾ , Top Access for remote administration and configuration |
| System Features | e-Filing document server for secure storage, Document distribution and Print-on-Demand (1 public box, 200 user boxes), 12,060 one-touch templates for storage of personalised settings or workflows, Scan/Fax Preview, Rip-while-Print, e-BRIDGE Open Platform ¹⁾ , Embedded Web Browser, Job Skip, PCL Barcode printing |
| Accounting & Security | Role Based Access, LDAP support, 1,000 depart- ment & 10,000 user codes, Card Reader ¹⁾ , Private Print, Standard data encryption with Toshiba Secure HDD, Data Overwrite Enabler ¹⁾ , IP and MAC address filter, Port filter, Support of SSL and IPsec ¹⁾ protocols, IEEE802.1x support, CC certified (ISO/ IEC15408) with HCD-PP v1.0 ¹⁾ , Scan to Secure PDF |



¹⁾ Optional.

²⁾ 1 GB = 1 billion bytes; the actual formatted capacity is less.

Available capacity will also be less if software applications are pre-installed.

³⁾ See technical manuals.

⁴⁾ Expected to be available from spring 2019. Service may vary from country to country.

OPTIONS

REVERSING AUTOMATIC DOCUMENT FEEDER – MR-3031-B

100-sheet capacity, A5R-A3, 35-157 g/m²

DUAL SCAN DOCUMENT FEEDER – MR-4000-B

300-sheet capacity, A5R-A3, 35-209 g/m²

PAPER FEED PEDESTAL – KD-1058-B

Cassette: 1x 550-sheet capacity, A5R-320 x 460 mm, 60-256 g/m²

DRAWER MODULE – MY-1048-B

For Paper Feed Pedestal
Cassette: 1x 550-sheet capacity, A5R-320 x 460 mm, 60-256 g/m²

ENVELOPE DRAWER – MY-1049-B

(can also be used for normal paper)

For Paper Feed Pedestal or 2nd cassette
Envelopes: 50-envelope capacity, 100 x 162 mm - 240 x 380 mm, 60-85 g/m²
Paper: Cassette: 1x 550-sheet capacity, A5R-A4R, 60-256 g/m²

LARGE CAPACITY FEEDER – KD-1059A4-B

2,000-sheet capacity, A4, 64-105 g/m²

INNER FINISHER – MJ-1042-B

2 trays, 600-sheet capacity
50-sheet multi-position stapling
Stapling mode: A4R-A3, 60-105 g/m²

MULTI-STAPLE FINISHER – MJ-1109-B

2 trays, 2,250-sheet capacity
50-sheet multi-position stapling
Stapling mode: A4R-A3, 60-105 g/m²

SADDLE-STITCH FINISHER – MJ-1110-B

2 trays, 3,250-sheet capacity
50-sheet multi-position stapling
5-sheet center folding
Saddle-stitched booklets of up to 60 pages
Stapling mode: A4R-A3, 60-105 g/m²

HOLE PUNCH UNIT – MJ-6011E/MJ-6011F/MJ-6011S, MJ-6105E/MJ-6105F/MJ-6105S

Available in:
2 holes (E), 4 holes (F), 4 holes (S)

PLATEN COVER – KA-5005PC

DESK – MH-5005

JOB SEPARATOR – MJ-5015

FAX BOARD – GD-1370EU

WIRELESS LAN / BLUETOOTH MODULE (incl. WiFi Direct) – GN-4020

e-BRIDGE ID-GATE – TWN4

HARD DISK DRIVE 320 GB¹⁾ (FIPS 140-2 STANDARD) – GE-1230

ACCESSORY TRAY – GR-1330

PANEL TEN-KEY OPTION – GR-1340

WORK TRAY – KK-5005

DATA OVERWRITE ENABLER – GP-1070

IPsec ENABLER – GP-1080

EMBEDDED OCR ENABLER – GS-1080, GS-1085

MULTI STATION PRINT ENABLER – GS-1090, GS-1095

HARDCOPY SECURITY PRINTING KIT – GP-1190A


META SCAN ENABLER – GS-1010

UNICODE FONT ENABLER – GS-1007

ACCESSIBLE ARM – KK-2560

USB HUB - GR-1310

CONFIGURATION



About Toshiba Tec

Toshiba Tec Germany Imaging Systems GmbH is part of the globally operating Toshiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba Tec Corporation is a leading provider of information technology, operating across multiple industries - ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage, and display information.

For more information please contact us:

Toshiba Tec Germany Imaging Systems GmbH

Carl-Schurz-Str. 7
41460 Neuss
Germany

Telephone

+49 2131-1245-0

Fax

+49 2131-1245-402

Website

<https://www.toshibatec.eu>



Together Information is Toshiba's vision for how people and organisations create, record, share, manage and display ideas and data.

It is based on our belief that the most successful organisations are those that communicate information in the most efficient way.

We make that possible through an integrated portfolio of industry specific solutions, all of which reflect Toshiba's commitment to the future of the planet.

